DEPARTMENT OF DEFENSE CONTRACT SECURITY CLASSIFICATION SPECIFICATION

(The requirements of the DoD Industrial Security Manual apply

1.	CLEARANCE AND SAFEGUARDING	
a.	FACILITY CLEARANCE REQUIRED	

Secret

to all security aspects	of this effort.)					b. LEVEL OF	SAFEGUARDING REQU Secret	JIRED		
2. THIS SPECIFICATION IS FOR: (X and comp	lete as applicat	ile)		3. Th	IIS SF	ECIFICATION	S: (X and complete as a	applicable)		
a. PRIME CONTRACT NUMBER				×		CONTRACTOR LONG	te date in all cases)	DATE (YYYY	MMDD))
b. SUBCONTRACT NUMBER		-			(8	EVISED Supersedes all evious specs)	REVISION NO.	DATE (YYYY	MMDD))
X c. SOLICITATION OR OTHER NUMBER W56HZV-07-R-0515							DATE (YYYY	MMDD))	
IS THIS A FOLLOW-ON CONTRACT? Classified material received or generated under	YES		X NO). If Ye		plete the following reding Contract Nu	mber) is transferred to the	is follow-on contrac	ж.	
5. IS THIS A FINAL DD FORM 254?	YES					plete the following				
In response to the contractor's request dated CONTRACTOR (Include Commercial and Cove	rnment Entity (f the cla	assified	d material is author	rized for the period of			_
6. CONTRACTOR (Include Commercial and Government Entity (CAGE) Code) a. NAME, ADDRESS, AND ZIP CODE b. CAGE CODE c. COGNIZANT SECURITY OFFICE (Name, Address, and Zip Code)										
1			2							
7. SUBCONTRACTOR										
a. NAME, ADDRESS, AND ZIP CODE			b. CAG	GE COD	DE C	COGNIZANT SE	CURITY OFFICE (Name	, Address, and Zip	Code)	
8. ACTUAL PERFORMANCE a LOCATION			I b 040	SE COD	T.	COCNIZANT OF	CURITY OFFICE (Name	Address and Tis	Carlal	
9. GENERAL IDENTIFICATION OF THIS PRO			L							
Solicitation for the Systems Development and	Demonstration									
10. CONTRACTOR WILL REQUIRE ACCESS		NO					RACT, THE CONTRA		YES	NO
a. COMMUNICATIONS SECURITY (COMSEC) INFORMATI	ON X	-					RMATION ONLY AT ANOTHE ERNMENT ACTIVITY	-1\.	\vdash	X
b. RESTRICTED DATA		X				FIED DOCUMENTS	MANAGE TO ALL SECTION AND ADMINISTRATION AND ADMINI		1	×
c. CRITICAL NUCLEAR WEAPON DESIGN INFORMATION		X				NERATE CLASSIFIE			X	
d. FORMERLY RESTRICTED DATA		X	-				SSIFIED HARDWARE		×	
e. INTELLIGENCE INFORMATION		H,	111100			CES ONLY	FORMATION OUTSIDE THE	118	\ \ \ \	X
(1) Sensitive Compartmented Information (SCI)		X	PUE	ALITHO	ICO, U.S	OUSE THE SERVICE	FORMATION OUTSIDE THE ND TRUST TERRITORIES ES OF DEFENSE TECHNIC	AL INFORMATION	×	
(2) Non-SCI		X					ES OF DEFENSE TECHNIC RY DISTRIBUTION CENTER	LAN CHARTION	1	×
f. SPECIAL ACCESS INFORMATION		X				SEC ACCOUNT			X	
g. NATO INFORMATION		X	i. HAVE TEMPEST REQUIREMENTS				TO DECUMP TO THE		X	
h. FOREIGN GOVERNMENT INFORMATION							C) REQUIREMENTS		×	
i. LIMITED DISSEMINATION INFORMATION		X					SE COURIER SERVICE			×
j. FOR OFFICIAL USE ONLY INFORMATION k. OTHER (Specify)	×	×	1. 01	HER (эрөсиу					

12. PUBLIC RELEASE. Any information (classified of	unclassified) pertaining to	this contract shall not be released for pu	ublic dissemination except as provided
by the Industrial Security Manual or unless it has been	approved for public releas	e by appropriate U.S. Government author	ority. Proposed public releases shall
be submitted for approval prior to release	Direct The	rough (Specify)	
Not Authorized			
(3000)			
to the Directorate for Freedom of Information and Sec *In the case of non-DoD User Agencies, requests for	disclosure shall be submitted	ed to that agency.	
 SECURITY GUIDANCE. The security classification guidance or if any other contributing factor indicates a 	on guidance needed for this	s classified effort is identified below. If a	ny difficulty is encountered in applying this
changes; to challenge the guidance or the classificatic questions for interpretation of this guidance to the offic highest level of classification assigned or recommend documents/guides/extracts referenced herein. Add ac	on assigned to any informat cial identified below. Pendii ed. (Fill in as appropriate fo	ion or material furnished or generated u ng final decision, the information involve or the classified effort. Attach, or forwan	nder this contract; and to submit any d shall be handled and protected at the
SCG, for Joint Light Tactical Vehicles, 24 Ma	ay 2007		
SCG for CS and CSS Armoring Systems, 6 A	April 2007		
Substitute "Offeror" for "Contractor" and "Di	raft raquiraments" D	roft Durchasa Description Dro	oft Solicitation" or
"Solicitation " for "Contract" as appropriate i			
See Continuation Sheet for additional require	ments.		
14. ADDITIONAL SECURITY REQUIREMENTS. (If Yes, identify the pertinent contractual clauses in the	contract document itself, o	r provide an appropriate statement which	h identifies the additional
requirements. Provide a copy of the requirements to the	ie cognizani secunity onice.	Use item 13 ii additional space is need	ded.)
See Continuation Sheet.			
			[] [] [] [] []
 INSPECTIONS. Elements of this contract are outsi (If Yes, explain and identify specific areas or elements 			13 if additional space is needed.)
(II red, explain and identity specific areas or demonis	carroa car and the activity	responsible for inspections, ose non-	To It additional space is needed.)
16. CERTIFICATION AND SIGNATURE. Security			
information to be released or generated unde		All questions shall be referred t	
a. TYPED NAME OF CERTIFYING OFFICIAL	b. TITLE	20	c. TELEPHONE (Include Area Code)
LTC Dodd Bouchillon	Acting CoS/XO for	PEO CS&CSS	(586) 753-2819
d. ADDRESS (Include Zip Code)		17. REQUIRED DISTRIBUTION	
6501 E. Eleven Mile Road		X a. CONTRACTOR	100
Warren, MI 48397-5000		b. SUBCONTRACTOR	
		c. COGNIZANT SECURITY OFFI	CE FOR PRIME AND SUBCONTRACTOR
e. SIGNATURE		d. U.S. ACTIVITY RESPONSIBLE	FOR OVERSEAS SECURITY ADMINISTRATION
Godd W. Dellewellow		e. ADMINISTRATIVE CONTRACT f. OTHERS AS NECESSARY	TING OFFICER
DD FORM 254 (BACK), DEC 1999			

COMSEC

ADDITIONAL SECURITY GUIDELINES FOR COMSEC Provided by the Deputy Chief of Staff for Intelligence (DCSINT)

Contractor Generated COMSEC Material: Any material generated by the contractor (including, but not limited to: correspondence, drawings, models, mockups, photographs, schematics, status programs and special inspection reports, engineering notes, computations, and training aids) will be classified according to its own content.

COMSEC REQUIREMENTS

- 1. Contractor employees or cleared commercial carriers shall not carry classified COMSEC material on commercial passenger aircraft anywhere in the world without the approval of the procuring contracting officer.
- 2. No contractor generated COMSEC or government furnished material may be provided to the Defense Technical Information Center (DTIC). Contractor generated technical reports will bear the statement "Not Releasable to the Defense Technical Information Center per DOD Directive 5100-38."
- 3. Classified paper COMSEC material may be destroyed by burning, pulping, or pulverizing. When a method other than burning is used all residue must be reduced to pieces 5mm or smaller in any dimension. When classified COMSEC material other than paper is to be destroyed, specific guidance must be obtained from the User Agency.
- 4. The following downgrading and Declassification notation applies to all classified COMSEC information provided to and generated by the contractor:

DERIVED FROM: NSA/CSSM-123-2

DECLASSIFY ON: Source Marked "OADR" (if generated before 1 April 1995)
DATE SOURCE: (Date of document from which information is derived)

5. All contractor personnel must be U.S. citizens granted FINAL clearance at the appropriate level by the government prior to being given access to classified COMSEC. Immigrant aliens and personnel cleared at the interim level shall not be granted access to classified COMSEC information released or generated under this

SECRET and CONFIDENTIAL COMSEC information.

6. Unclassified COMSEC information released or generated under this contract shall be restricted in its dissemination to personnel involved in the contract. Release in open

contract except that personnel cleared INTERIM TOP SECRET may have access to

literature or exhibition of such information without the express written permission of the Director, NSA, is strictly prohibited.

- 7. Recipients of COMSEC information under this contract may not release information to subcontractors without permission of the User Agency.
- 8. Additional notices to be affixed to the cover and title or first page of contractor generated COMSEC documents:
- a. "COMSEC MATERIAL- ACCESS BY CONTRACTOR PERSONNEL RESTRICTED TO U.S. CITIZENS HOLDING FINAL GOVERNMENT CLEARANCE."
- b. "THIS PUBLICATION OR INFORMATION IT CONTAINS MAY NOT BE RELEASED TO FOREIGN NATIONALS WITHOUT PRIOR SPECIFIC APPROVAL FROM THE DIRECTOR, NSA. ALL APPROVALS WILL IDENTIFY THE SPECIFIC INFORMATION AND COPIES OF THIS PUBLICATION AUTHORIZED FOR RELEASE TO SPECIFIC FOREIGN HOLDERS. ALL REQUIREMENTS FOR ADDITIONAL ISSUANCES MUST RECEIVE PRIOR SPECIFIC APPROVAL FROM THE DIRECTOR, NSA."

CLASSIFIED INFORMATION HANDLING

- 1. Employees of the contractor may not act as couriers for classified material. All classified material will be transmitted IAW the NISPOM ((Registered US Mail, cleared commercial carrier (Monday thru Thursday), Same Day Delivery, SIPRNET, or secure fax.)).
- 2. All classified material (CONFIDENTIAL and SECRET) supplied to the contractor under this contract will be returned for destruction not later than one year after the contract ends. Contractors wishing to maintain the material for a longer period must receive permission from the Contracting Officer.
- 3. The contractor is required to establish means to control classified information. This will include maintaining receipts (DA 3964) of all classified material shipped or received that is associated with this contract.
- 4. GSA approved security containers are required to store classified material. Contractor will ensure all personnel who perform maintenance on any security container storing classified information are cleared to the SECRET level. The contractor must obtain authorization to store classified material from the Defense Security Service (DSS) Cognizant Security Office.

- 5. In the event of a possible compromise of classified information under the control of the contractor will immediately notify:
 - DSS Cognizant Security Office
- TACOM G2, 586-574-6262, MAIL: TACOM G2, ATTN: AMSTA-CS-SC, 6501 East 11 Mile Road, Warren, MI 48397).

OPSEC

- 1. If the contractor generates unclassified OPSEC sensitive information, this information will be protected at the same level as FOUO information. The contractor will not transmit any OPSEC sensitive information electronically over the Internet unless it is encrypted IAW FIPS 140-2 standard. Alternative dissemination methods include secure fax, US mail, and hand carrying OPSEC sensitive material. OPSEC sensitive information maybe disseminated within the contractor's internal computer network if it is protected with a firewall and individual access is controlled by using IDs and passwords. (Under no circumstances can classified information be transmitted over an unclassified network.)
- 2. Examples of information that would be considered OPSEC sensitive:
 - Equipment capabilities, limitations, and vulnerabilities.
 - Detailed mission statements.
 - Operation schedules.
 - Readiness and vulnerability assessments.
 - Test locations and dates.
 - Inventory charts and reports.
 - Detailed budget data.
 - Photographs of components.
 - Detailed organizational charts (with phones and e-mail listings).
 - Technical and scientific data.
 - Unclassified technical data with military applications.
 - Critical maintenance information.
 - Information extracted from a DOD Intranet web site.
 - Lessons learned that could reveal sensitive military operations, exercises, or vulnerabilities.
 - Logistics support (munitions, weapons, movement).
 - Specific real time support to current or on-going military operations.
 - Delivery schedules
 - Manufacturing methods.

3. All information pertaining to this contract which is being considered for public release will undergo an OPSEC review using the OPSEC review process (STA Form 7114, copy attached) prior to release.

FOR OFFICIAL USE ONLY (FOUO)

- 1. "FOR OFFICIAL USE ONLY" is information that may be withheld from the public under exemptions 2 through 9 of the Freedom of Information Act. FOUO marking is assigned to information at the time of its creation in a DOD User Agency. It is not authorized as a substitute for a security classification marking.
- 2. Control, marking, and protection of FOUO information will be in accordance with this document and Army Regulation 380-5, Chapter 5, para 5-1 through 5-6.
- 3. The contractor may disseminate "FOR OFFICIAL USE ONLY" (FOUO) information to their employees who have a need to know for the information in connection with the purchase order.
- 4. All FOUO material will be destroyed by tearing or shredding to make unreadable. Electronic media will be purged with approved software or destroyed through a physical process.
- 5. The contractor will not transmit any FOUO information electronically over the Internet unless it is encrypted by FIPS 140-2 standard. Alternative dissemination methods include: secure fax; US mail; and hand carrying FOUO material. FOUO information maybe disseminated by vendor's internal computer network if it is protected with a firewall and individual access is controlled by using IDs and passwords.

Critical Technology/Export Controlled Information

1. All unclassified technical documents containing critical technology generated in connection with this contract will be marked as follows:

<u>Distribution Statement C</u>: Distribution authorized to US government agencies and contractors (Critical Technology) (Date of Determination). Other requests for this document should be referred to JLTV Project Security Manager, G2, US Army TACOM, 6501 East 11 Mile Rd, Warren, Mail Stop #105, MI 48397-5000, DSN 786-6262 or Commercial (586) 574-6262. This document is not releasable to the public or media. Destroy by shredding or tearing to make unreadable, when no longer needed.

This document should not be sent over the INTERNET unencrypted, or posted to any public web sites.

Technical information is defined as: Information, including scientific information that relates to research, development, engineering, test, evaluation, production, operation, use and maintenance of munitions and other military supplies and equipment.

2. Export Controlled Technical Data: All technical documents that are determined to contain export-controlled technical data shall be marked "<u>WARNING</u> – This document contains technical data who export is restricted by the Arms Export Control Act (Title 22, U.S.C., Sec 2751, et seq) or the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401 et seq). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DOD Directive 5230.25."